

L Number	Hits	Search Text	DB	Time stamp
1	1	5490171.pn.	USPAT; EPO; JPO	2004/04/21 09:20
2	11	("4161008"   "4585905"   "4630284"   "4636654"   "4709296"   "4751607"   "4953055"   "5003579"   "5077756"   "5095291"   "5142429").PN.	USPAT	2004/04/21 09:19
3	4213	multi-port or multi adj port	USPAT; EPO; JPO	2004/04/21 09:21
4	163501	transformer	USPAT; EPO; JPO	2004/04/21 09:25
5	9373	line adj driver	USPAT; EPO; JPO	2004/04/21 09:26
6	767815	wind\$3	USPAT; EPO; JPO	2004/04/21 09:22
7	5769	turn adj ratio	USPAT; EPO; JPO	2004/04/21 09:26
8	4367	transformer and wind\$3 and (turn adj ratio)	USPAT; EPO; JPO	2004/04/21 09:23
10	0	((multi-port or multi adj port) and ((line adj driver) and (transformer and wind\$3 and (turn adj ratio))))	USPAT; EPO; JPO	2004/04/21 09:23
9	54	(line adj driver) and (transformer and wind\$3 and (turn adj ratio))	USPAT; EPO; JPO	2004/04/21 09:24
11	39763	transceiver	USPAT; EPO; JPO	2004/04/21 09:26
12	10	((line adj driver) and (transformer and wind\$3 and (turn adj ratio))) and transceiver	USPAT; EPO; JPO	2004/04/21 09:25
13	288256	transformer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:56
14	13401	line adj driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:26
15	6497	turn adj ratio	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:26
16	5693	transformer and (turn adj ratio)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:26
17	81	(line adj driver) and (transformer and (turn adj ratio))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:26
18	82326	transceiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:56
19	17	((line adj driver) and (transformer and (turn adj ratio))) and transceiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:27
20	6	("5121080"   "5585763"   "5920468"   "6016084"   "6163579"   "6211719").PN.	USPAT	2004/04/21 09:28
21	9	("2499423"   "3441684"   "3517138"   "3711660"   "4103118"   "4238645"   "4677666"   "5528630"   "5581710").PN.	USPAT	2004/04/21 09:34
22	3	6163579.URPN.	USPAT	2004/04/21 09:35

23	12405	transformer with ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:56
24	191856	transceiver or modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:57
25	535	(transformer with ratio) and (transceiver or modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:57
26	94	(transformer with ratio) same (transceiver or modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:57
27	82	((transformer with ratio) same (transceiver or modem)) and @ay<=2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:58
28	16	((((transformer with ratio) same (transceiver or modem)) and @ay<=2001) and (line adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:06
29	2	6327309.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:10
30	28	("4220816"   "4402082"   "4677611"   "4897831"   "5119365"   "5121382"   "5181228"   "5210773"   "5255287"   "5287406"   "5289458"   "5410594"   "5414708"   "5444740"   "5455409"   "5467369"   "5490171"   "5499269"   "5506900"   "5528630"   "5533054"   "5592510"   "5719856"   "5726976"   "5838722"   "5878030"   "5878221"   "6104707").PN.	USPAT	2004/04/21 10:06
31	8	(transformer with ratio) and (("4220816"   "4402082"   "4677611"   "4897831"   "5119365"   "5121382"   "5181228"   "5210773"   "5255287"   "5287406"   "5289458"   "5410594"   "5414708"   "5444740"   "5455409"   "5467369"   "5490171"   "5499269"   "5506900"   "5528630"   "5533054"   "5592510"   "5719856"   "5726976"   "5838722"   "5878030"   "5878221"   "6104707").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:10

L Number	Hits	Search Text	DB	Time stamp
1	1	5490171.pn.	USPAT; EPO; JPO	2004/04/21 09:20
2	11	("4161008"   "4585905"   "4630284"   "4636654"   "4709296"   "4751607"   "4953055"   "5003579"   "5077756"   "5095291"   "5142429").PN.	USPAT	2004/04/21 09:19
3	4213	multi-port or multi adj port	USPAT; EPO; JPO	2004/04/21 09:21
4	163501	transformer	USPAT; EPO; JPO	2004/04/21 09:25
5	9373	line adj driver	USPAT; EPO; JPO	2004/04/21 09:26
6	767815	wind\$3	USPAT; EPO; JPO	2004/04/21 09:22
7	5769	turn adj ratio	USPAT; EPO; JPO	2004/04/21 09:26
8	4367	transformer and wind\$3 and (turn adj ratio)	USPAT; EPO; JPO	2004/04/21 09:23
10	0	(multi-port or multi adj port) and ((line adj driver) and (transformer and wind\$3 and (turn adj ratio)))	USPAT; EPO; JPO	2004/04/21 09:23
9	54	(line adj driver) and (transformer and wind\$3 and (turn adj ratio))	USPAT; EPO; JPO	2004/04/21 09:24
11	39763	transceiver	USPAT; EPO; JPO	2004/04/21 09:26
12	10	((line adj driver) and (transformer and wind\$3 and (turn adj ratio))) and transceiver	USPAT; EPO; JPO	2004/04/21 09:25
13	288256	transformer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:56
14	13401	line adj driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:26
15	6497	turn adj ratio	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:26
16	5693	transformer and (turn adj ratio)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:26
17	81	(line adj driver) and (transformer and (turn adj ratio))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:26
18	82326	transceiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:56
19	17	((line adj driver) and (transformer and (turn adj ratio))) and transceiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:27
20	6	("5121080"   "5585763"   "5920468"   "6016084"   "6163579"   "6211719").PN.	USPAT	2004/04/21 09:28
21	9	("2499423"   "3441684"   "3517138"   "3711660"   "4103118"   "4238645"   "4677666"   "5528630"   "5581710").PN.	USPAT	2004/04/21 09:34
22	3	6163579.URPN.	USPAT	2004/04/21 09:35

23	12405	transformer with ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:56
24	191856	transceiver or modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:57
25	535	(transformer with ratio) and (transceiver or modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:57
26	94	(transformer with ratio) same (transceiver or modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:57
27	82	((transformer with ratio) same (transceiver or modem)) and @ay<=2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:58
28	16	((((transformer with ratio) same (transceiver or modem)) and @ay<=2001) and (line adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:06
29	2	6327309.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:10
30	28	("4220816"   "4402082"   "4677611"   "4897831"   "5119365"   "5121382"   "5181228"   "5210773"   "5255287"   "5287406"   "5289458"   "5410594"   "5414708"   "5444740"   "5455409"   "5467369"   "5490171"   "5499269"   "5506900"   "5528630"   "5533054"   "5592510"   "5719856"   "5726976"   "5838722"   "5878030"   "5878221"   "6104707").PN.	USPAT	2004/04/21 10:06
31	8	(transformer with ratio) and (("4220816"   "4402082"   "4677611"   "4897831"   "5119365"   "5121382"   "5181228"   "5210773"   "5255287"   "5287406"   "5289458"   "5410594"   "5414708"   "5444740"   "5455409"   "5467369"   "5490171"   "5499269"   "5506900"   "5528630"   "5533054"   "5592510"   "5719856"   "5726976"   "5838722"   "5878030"   "5878221"   "6104707").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:19
32	9377	lsi.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:22
33	5	(transformer with ratio) and lsi.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:19
34	273	lsi.as. and impedance	USPAT; EPO; JPO	2004/04/21 11:22
35	11	(line adj driver) and (lsi.as. and impedance)	USPAT; EPO; JPO	2004/04/21 13:39
36	6	("5121080"   "5585763"   "5920468"   "6016084"   "6163579"   "6211719").PN.	USPAT	2004/04/21 11:23

37	3	"6163579" and impedance	USPAT; EPO; JPO	2004/04/21 14:00
38	4	"6163579" and different\$4	USPAT; EPO; JPO	2004/04/21 14:01
39	2	"6163579" and single	USPAT; EPO; JPO	2004/04/21 14:04
40	254	single adj ended adj circuit	USPAT; EPO; JPO	2004/04/21 14:05
41	11	(transformer with ratio) and ( single adj ended adj circuit)	USPAT; EPO; JPO	2004/04/21 15:07
42	3	(line adj driver) with sens\$3 adj resistor	USPAT; EPO; JPO	2004/04/21 15:21
43	2	("4300101"   "6246351").PN.	USPAT	2004/04/21 15:21
44	0	((("4300101"   "6246351").PN.) with sens\$3 adj resistor	USPAT; EPO; JPO	2004/04/21 15:21
45	54	(line adj driver) and sens\$3 adj resistor	USPAT; EPO; JPO	2004/04/21 15:39
46	1	"6323686" and sens\$3	USPAT; EPO; JPO	2004/04/21 15:36
47	1	"6369650" and sens\$3 adj resistor	USPAT; EPO; JPO	2004/04/21 15:39
-	736	379/216.01,355.01-355.1.ccls.	USPAT; EPO; JPO	2004/02/02 17:30
-	862	379/216.01,355.01-356.01.ccls.	USPAT; EPO; JPO	2004/02/02 17:29
-	8961	(abbreviat\$3 or speed) near3 (dial\$3 or number).ab,ti.	USPAT; EPO; JPO	2004/02/02 18:59
-	74	379/216.01,355.01-356.01.ccls. and ((abbreviat\$3 or speed) near3 (dial\$3 or number).ab,ti.)	USPAT; EPO; JPO	2004/02/02 17:31
-	2782	automat\$3 near5 updat\$3	USPAT; EPO; JPO	2004/02/02 17:32
-	3	(379/216.01,355.01-356.01.ccls. and ((abbreviat\$3 or speed) near3 (dial\$3 or number).ab,ti.)) and (automat\$3 near5 updat\$3)	USPAT; EPO; JPO	2004/02/02 17:43
-	2579	(time near5 call\$3) with count\$3	USPAT; EPO; JPO	2004/02/02 17:44
-	3006	repeat\$3 near5 (call\$3 or number) with count\$3	USPAT; EPO; JPO	2004/02/02 17:44
-	5507	((time near5 call\$3) with count\$3) or (repeat\$3 near5 (call\$3 or number) with count\$3)	USPAT; EPO; JPO	2004/02/02 17:44
-	29	379/216.01,355.01-356.01.ccls. and (((time near5 call\$3) with count\$3) or (repeat\$3 near5 (call\$3 or number) with count\$3))	USPAT; EPO; JPO	2004/02/02 17:50
-	1811	automat\$3 near2 updat\$3	USPAT; EPO; JPO	2004/02/02 17:51
-	1	(379/216.01,355.01-356.01.ccls. and (((time near5 call\$3) with count\$3) or (repeat\$3 near5 (call\$3 or number) with count\$3))) and (automat\$3 near2 updat\$3)	USPAT; EPO; JPO	2004/02/02 18:18
-	87	(programm\$3 or updat\$3) near2 speed near2 dial\$3	USPAT; EPO; JPO	2004/02/02 18:19
-	21	((time near5 call\$3) with count\$3) or (repeat\$3 near5 (call\$3 or number) with count\$3) and ((programm\$3 or updat\$3) near2 speed near2 dial\$3)	USPAT; EPO; JPO	2004/02/02 18:19
-	2	379/216.01,355.01-356.01.ccls. and (((time near5 call\$3) with count\$3) or (repeat\$3 near5 (call\$3 or number) with count\$3)) and ((programm\$3 or updat\$3) near2 speed near2 dial\$3)	USPAT; EPO; JPO	2004/02/02 18:19
-	9034	((abbreviat\$3 or speed) near3 (dial\$3 or number).ab,ti.) or ((programm\$3 or updat\$3) near2 speed near2 dial\$3)	USPAT; EPO; JPO	2004/02/02 19:00
-	87	((programm\$3 or updat\$3) near2 speed near2 dial\$3) and (((abbreviat\$3 or speed) near3 (dial\$3 or number).ab,ti.) or ((programm\$3 or updat\$3) near2 speed near2 dial\$3))	USPAT; EPO; JPO	2004/02/02 19:00
-	6225	outg\$5 near2 call\$3	USPAT; EPO; JPO	2004/02/02 19:01

-	51	((((programm\$3 or updat\$3) near2 speed near2 dial\$3) and (((abbreviat\$3 or speed) near3 (dial\$3 or number).ab,ti.) or ((programm\$3 or updat\$3) near2 speed near2 dial\$3))) and (outg\$5 near2 call\$3)	USPAT; EPO; JPO	2004/02/02 19:02
-	13	379/216.01,355.01-356.01.ccls. and (((((programm\$3 or updat\$3) near2 speed near2 dial\$3) and (((abbreviat\$3 or speed) near3 (dial\$3 or number).ab,ti.) or ((programm\$3 or updat\$3) near2 speed near2 dial\$3))) and (outg\$5 near2 call\$3))	USPAT; EPO; JPO	2004/02/02 19:02